Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. L. Birnstiel
J. M. Bishop
M. S. Bretscher
C. R. Cantor
L. Caro
J. Davies
W. F. Dove
G. A. Gilbert
W. Gilbert
R. Huber
A. Klug
D. E. Koshland
S. Lowey
M. F. Moody
D. Nathans
D. C. Phillips
P. M. B. Walker
J. C. Wang
S. M. Weissman

VOLUME 104
14 June 1976 to 15 July 1976

ACADEMIC PRESS
London New York San Francisco

Copyright © 1976, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 104

NUMBER 1, 14 JUNE 1976

CORDEIRO-STONE, M. and LEE, C. S., Studies on the Satellite DNAs of *Drosophila nasutoides:* Their Buoyant Densities, Melting Temperatures, Reassociation Rates and Localizations in Polytene Chromosomes . . 1

LAPEYRE, J.-N. and BEKHOR, I., Chromosomal Protein Interactions in Chromatin and with DNA 25

LEVITT, M., A Simplified Representation of Protein Conformations for Rapid Simulation of Protein Folding 59

SEEMAN, N. C., ROSENBERG, J. M., SUDDATH, F. L., KIM, J. J. P. and RICH, A., RNA Double-helical Fragments at Atomic Resolution: I. The Crystal and Molecular Structure of Sodium Adenylyl-3′,5′-Uridine Hexahydrate . 109

Appendix: A Simplified Alphabetical Nomenclature for Dihedral Angles in the Polynucleotide Backbone 142

ROSENBERG, J. M., SEEMAN, N. C., DAY, R. O. and RICH, A., RNA Double-helical Fragments at Atomic Resolution: II. The Crystal Structure of Sodium Guanylyl-3′,5′-Cytidine Nonahydrate 145

EVANS, H. H., LITTMAN, S. R., EVANS, T. E. and BREWER, E. N., Effects of Cycloheximide on Thymidine Metabolism and on DNA Strand Elongation in *Physarum polycephalum* 169

ASAKURA, T., ADACHI, K., WILEY, J. S., FUNG, L. W.-M., HO, C., KILMARTIN, J. V. and PERUTZ, M. F., Structure and Function of Haemoglobin Philly (Tyr C1 (35)β→Phe) 185

STEITZ, T. A., FLETTERICK, R. J., ANDERSON, W. F. and ANDERSON, C. M., High Resolution X-Ray Structure of Yeast Hexokinase, an Allosteric Protein Exhibiting a Non-symmetric Arrangement of Subunits 197

FRASER, R. S. S. and CARTER, B. L. A., Synthesis of Polyadenylated Messenger RNA During the Cell Cycle of *Saccharomyces cerevisiae* 223

LOMANT, A. J. and FAIRBANKS, G., Chemical Probes of Extended Biological Structures: Synthesis and Properties of the Cleavable Protein Cross-linking Reagent–[^{35}S]Dithiobis (succinimidyl propionate) . . . 243

MARSTON, S. B., RODGER, C. D. and TREGEAR, R. T., Changes in Muscle Cross-bridges when β,γ-imido-ATP Binds to Myosin 263

Mercer, W. D., Winn, S. I. and Watson, H. C., Twinning in Crystals of Human Skeletal Muscle D-Glyceraldehyde-3-Phosphate Dehydrogenase . 277

Letters to the Editor

Kennell, D. and Talkad, V., Messenger RNA Potential and the Delay Before Exponential Decay of Messages 285

Talkad, V., Schneider, E. and Kennell, D., Evidence for Variable Rates of Ribosome Movement in *Escherichia coli* 299

Brack, C., Eberle, H., Bickle, T. A. and Yuan, R., A Map of the Sites on Bacteriophage PM2 DNA for the Restriction Endonucleases *Hin*dIII and *Hpa*II 305

Harmsen, A., Leberman, R. and Schulz, G. E., Comparison of Protein Crystal Diffraction Patterns and Absolute Intensities from Synchrotron and Conventional X-ray Sources 311

Torchia, D. A. and VanderHart, D. L., ^{13}C Magnetic Resonance Evidence for Anisotropic Molecular Motion in Collagen Fibrils . . 315

Number 2, 25 June 1976

Grunstein, M. and Schedl, P., Isolation and Sequence Analysis of Sea Urchin (*Lytechinus pictus*) Histone H4 Messenger RNA 323

Grunstein, M., Schedl, P. and Kedes, L., Sequence Analysis and Evolution of Sea Urchin (*Lytechinus pictus* and *Strongylocentrotus purpuratus*) Histone H4 Messenger RNAs 351

Greer, J., Application of the Automated Interpretation of Electron Density Maps to Bence Jones Protein Rhe 371

Earnshaw, W., Casjens, S. and Harrison, S. C., Assembly of the Head of Bacteriophage P22: X-ray Diffraction from Heads, Proheads and Related Structures 387

Brégégère, F., Bacteriophage P2–Lambda Interference. II. Effects on the Host under the Control of Lambda Genes *O* and *P* 411

Karrer, K. M. and Gall, J. G., The Macronuclear Ribosomal DNA of *Tetrahymena pyriformis* is a Palindrome 421

Engberg, J., Andersson, P., Leick, V. and Collins, J., Free Ribosomal DNA Molecules from *Tetrahymena pyriformis* GL are Giant Palindromes . . 455

Jackson, V., Shires, A., Tanphaichitr, N. and Chalkley, R., Modifications to Histones Immediately After Synthesis 471

SRIPRAKASH, K. S., MOLLOY, P. L., NAGLEY, P., LUKINS, H. B. and LINNANE, A. W., Biogenesis of Mitochondria. XLI. Physical Mapping of Mitochondrial Genetic Markers in Yeast 485

GILL, G. S. and MACHATTIE, L. A., Limited Permutations of the Nucleotide Sequence in Bacteriophage T1 DNA 505

LETTER TO THE EDITOR

CHANDLER, M., SILVER, L., ROTH, Y. and CARO, L., Chromosome Replication in an Hfr Strain of *Escherichia coli* 517

NUMBER 3, 5 JULY 1976

FAELEN, M. and TOUSSAINT, A., Bacteriophage Mu-1: A Tool to Transpose and to Localize Bacterial Genes 525

CASADABAN, M. J., Transposition and Fusion of the *lac* Genes to Selected Promoters in *Escherichia coli* using Bacteriophage Lambda and Mu . 541

CASADABAN, M. J., Regulation of the Regulatory Gene for the Arabinose Pathway, *araC* 557

GUDAS, L. J., The Induction of Protein X in DNA Repair and Cell Division Mutants of *Escherichia coli* 567

GRAINGER, R. M. and WILT, F. H., Incorporation of ^{13}C, ^{15}N-labeled Nucleosides and Measurement of RNA Synthesis and Turnover in Sea Urchin Embryos 589

KOWALSKI, J. and CHEEVERS, W. P., Synthesis of High Molecular Weight DNA Strands During S Phase 603

YAGUCHI, M., WITTMANN, H. G., CABEZÓN, T., DEWILDE, M., VILLARROEL, R., HERZOG, A. and BOLLEN, A., Alteration of Ribosomal Protein S17 by Mutation Linked to Neamine Resistance in *Escherichia coli*. II. Localization of the Amino Acid Replacement in Protein S17 from a *nea*A Mutant 617

SAITOH, T. and ISHIHAMA, A., Subunits of RNA Polymerase in Function and Structure. VI. Sequence of the Assembly *in vitro* of *Escherichia coli* RNA Polymerase 621

BOTH, G. W., FURUICHI, Y., MUTHUKRISHNAN, S. and SHATKIN, A. J., Effect of 5′-Terminal Structure and Base Composition on Polyribonucleotide Binding to Ribosomes 637

MUSICK, W. D. L., ADAMS, A. D., ROSSMANN, M. G., WHEAT, T. E. and GOLDBERG, E., A Low-Resolution Study of Testicular Lactate Dehydrogenase Using the Molecular Replacement Technique 659

MOFFAT, K., LOE, R. S. and HOFFMAN, B. M., The Structure of Metmanganoglobin 669

DEATHERAGE, J. F., LOE, R. S., ANDERSON, C. M. and MOFFAT, K., Structure of Cyanide Methemoglobin 687

HEIDNER, E. J., LADNER, R. C. and PERUTZ, M. F., Structure of Horse Carbonmonoxyhaemoglobin 707

LETTERS TO THE EDITOR

DEATHERAGE, J. F., LOE, R. S. and MOFFAT, K., Structure of Fluoride Methemoglobin 723

CELIS, J. E., COULONDRE, C. and MILLER, J. H., Suppressor su^+7 Inserts Tryptophan in Addition to Glutamine 729

DAMASCHUN, G., MÜLLER, J. J., GEDICKE, CH. and FEDOROV, B. A., Experimental Evidence of Long-range Order in Globular Proteins with a Quaternary Structure 735

FREY, M., HASER, R., PIERROT, M., BRUSCHI, M. and LE GALL, J., Preliminary Crystallographic Study on Cytochrome c_3 of *Desulfovibrio desulfuricans* (Strain Norway) 741

ANNOUNCEMENTS 745

NUMBER 4, 15 JULY 1976

KENDRICK-JONES, J., SZENTKIRALYI, E. M. and SZENT-GYÖRGI, A. G., Regulatory Light Chains in Myosins 747

RICH, S. A. and ESTES, J. E., Detection of Conformational Changes in Actin by Proteolytic Digestion: Evidence for a New Monomeric Species . . 777

STONE, P. J., KELMAN, A. D., SINEX, F. M., BHARGAVA, M. M. and HALVORSON, H. O., Resolution of α, β and γ DNA of *Saccharomyces cerevisiae* with the Antitumor Drug *cis*-$Pt(NH_3)_2Cl_2$. Evidence for Preferential Drug Binding by GpG Sequences of DNA. 793

HARTWELL, L. H., Sequential Function of Gene Products Relative to DNA Synthesis in the Yeast Cell Cycle. 803

PENNINCKX, M. and WIAME, J-M., Affinity of Arginase for Ornithine Carbamoyltransferase in *Saccharomyces cerevisiae* 819

SCHWARTZ, H. and DARNELL, J. E., The Association of Protein with the Polyadenylic Acid of HeLa Cell Messenger RNA: Evidence for a "Transport" Role of a 75,000 Molecular Weight Polypeptide 833

Llinás, M., Wilson, D. M., Klein, M. P. and Neilands, J. B., ^{13}C Nuclear Magnetic Resonance of the Ferrichrome Peptides: Structural and Strain Contributions to the Conformational State 853

Knox, J. R., Kelly, J. A., Moews, P. C. and Murthy, N. S., 5·5 Å Crystallographic Structure of Penicillin β-Lactamase and Radius of Gyration in Solution 865

Letters to the Editor

Ladenstein, R. and Wendel, A., Crystallographic Data of the Seleno-enzyme Gluthione Peroxidase 877

Lee, M., Miller Jr, R. C., Scraba, D. and Paetkau, V., The Essential Role of Bacteriophage T7 Endonuclease (Gene *3*) in Molecular Recombination 883

Index to Volume 104

Actin conformational changes detected by proteolytic digestion: evidence for a new monomeric species, 777
Adachi, K. (see also Asakura, T.), 185
Adams, A. D. (see also Musick, W. D. L.), 659
Affinity of arginase for ornithine carbamoyltransferase in *Saccharomyces cerevisiae*, 819
Amino acid replacement, localization in protein S17 from a *nea*A mutant; alteration of ribosomal protein S17 by mutation linked to neamine resistance in *Escherichia coli*, 617
Analysis, automated of electron density maps of Bence Jones protein Rhe, 371
Anderson, C. M. (see also Deatherage, J. F.), 687
— (see also Steitz, T. A.), 197
Anderson, W. F. (see also Steitz, T. A.), 197
Andersson, P. (see also Engberg, J.), 455
Arabinose pathway, regulation of the regulatory gene, *araC*, 557
araC regulation for the arabinose pathway, 557
Arginase, affinity for ornithine carbamoyltransferase in *Saccharomyces cerevisiae*, 819
Asakura, T., Adachi, K., Wiley, J. S., Fung, L. W.-M., Ho, C., Kilmartin, J. V. & Perutz, M. F., Structure and function of haemoglobin Philly (Tyr C1 (35)β→Phe), 185
Assembly of the head of bacteriophage P22: X-ray diffraction from heads, proheads and related structures, 387
— sequence *in vitro* of *Escherichia coli* RNA polymerase, 621
Automated analysis of electron density maps of Bence Jones protein Rhe, 371

Bacterial genes transposed and localized by bacteriophage Mu-1, 525
Bacteriophage lambda and mu used in transposition and fusion of the *lac* genes to selected promoters in *Escherichia coli*, 541
— Mu-1: a tool to transpose and to localize bacterial genes, 525
— P22 head assembly: X-ray diffraction from heads, proheads and related structures, 387
— P2-λ interference. II. Effects on the host under the control of λ genes *O* and *P*, 411
— PM2 DNA, a map of the sites for the restriction endonucleases *Hin*dIII and *Hpa*II, 305
— T1 DNA, limited permutations of the nucleotide sequence, 505
— T7 endonuclease (gene *3*), essential role in molecular recombination, 883
Base composition and 5′-terminal structure, their effect on polyribonucleotide binding to ribosomes, 637
Bekhor, I. (see also Lapeyre, J.-N.), 25
Bence Jones protein Rhe electron density map, automated analysis, 371
β, γ-imido-ATP binding to myosin and changes in muscle crossbridges, 263
Bhargava, M. M. (see also Stone, P. J.), 793
Bickle, T. A. (see also Brack, C.), 305
Bollen, A. (see also Yaguchi, M.), 617
Both, G. W., Furuichi, Y., Muthukrishnan, S. & Shatkin, A. J., Effect of 5′-terminal structure and base composition on polyribonucleotide binding to ribosomes, 637
Brack, C., Eberle, H., Bickle, T. A. & Yuan, R., A map of the sites on bacteriophage PM2 DNA for the restriction endonucleases *Hin*dIII and *Hpa*II, 305
Brégégère, F., Bacteriophage P2–lambda interference. II. Effects on the host under the control of lambda genes *O* and *P*, 411
Brewer, E. N. (see also Evans, H. H.), 169
Bruschi, M. (see also Frey, M.), 741

Cabezón, T. (see also Yaguchi, M.), 617
Carbonmonoxyhaemoglobin of horse, structure, 707
Caro, L. (see also Chandler, M.), 517
Carter, B. L. A. (see also Fraser, R. S. S.), 223

Casadaban, M. J., Regulation of the regulatory gene for the arabinose pathway, *araC*, 557
—, Transposition and fusion of the *lac* genes to selected promoters in *Escherichia coli* using bacteriophage lambda and mu, 541
Casjens, S. (see also Earnshaw, W.), 387
Celis, J. E., Coulondre, C. & Miller, J. H., Suppressor su$^+$7 inserts tryptophan in addition to glutamine, 729
Cell cycle of *Saccharomyces cerevisiae* and synthesis of polyadenylated mRNA, 223
— —, yeast, and the sequential function of gene products relative to DNA synthesis, 803
— division and DNA repair mutants of *Escherichia coli* and the induction of protein X, 567
Chains, light, regulatory, in myosins, 747
Chalkley, R. (see also Jackson, V.), 471
Chandler, M., Silver, L., Roth, Y. & Caro, L., Chromosome replication in an Hfr strain of *Escherichia coli*, 517
Cheevers, W. P. (see also Kowalski, J.), 603
Chromatin, chromosomal protein interactions in, and with DNA, 25
Chromosomal protein interactions in chromatin and with DNA, 25
Chromosome replication in an Hfr strain of *Escherichia coli*, 517
cis-$Pt(NH_3)_2Cl_2$, antitumor drug, resolves α, β and γ DNA of *Saccharomyces cerevisiae*. Evidence for preferential drug binding by GpG sequence of DNA, 793
Cleavable protein cross-linking reagent [^{35}S] dithiobis (succinimidyl propionate), synthesis and properties, 243
^{13}C magnetic resonance evidence for anisotropic molecular motion in collagen fibrils, 315
^{13}C n.m.r. of the ferrichrome peptides: structural and strain contributions to the conformational state, 853
^{13}C, ^{15}N-labeled nucleoside incorporation, and measurement of RNA synthesis and turnover in sea urchin embryos, 589
Collagen fibrils, ^{13}C magnetic resonance evidence for anisotropic molecular motion, 315
Collins, J. (see also Engberg, J.), 455
Conformational changes in actin detected by proteolytic digestion: evidence for a new monomeric species, 777
— state, structural and strain contributions: ^{13}C n.m.r. of the ferrichrome peptides, 853
Conformations, protein, a simplified representation for rapid simulation of protein folding, 59
Cordeiro-stone, M. & Lee, C. S., Studies on the satellite DNAs of *Drosophila nasutoides*: their buoyant densities, melting temperatures, reassociation rates and localizations in polytene chromosomes, 1
Coulondre, C. (see also Celis, J. E.), 729
Crossbridges, muscle, changes when β, γ-imido-ATP binds to myosin, 263
Cross-linking reagent [^{35}S]dithiobis (succinimidyl propionate), synthesis and properties, 243
Crystal and molecular structure of sodium adenylyl-3′, 5′-uridine hexahydrate; RNA double-helical fragments at atomic resolution, 109
—, protein, diffraction patterns and absolute intensities, a comparison for synchrotron and conventional X-ray sources, 311
— structure of sodium guanylyl-3′, 5′-cytidine nonahydrate; RNA double-helical fragments at atomic resolution, 145
Crystals of human skeletal muscle D-glyceraldehyde-3-phosphate dehydrogenase show twinning, 277
Crystallographic data of the selenoenzyme glutathione peroxidase, 877
— structure, at 5·5 Å resolution, of penicillin β-lactamase and radius of gyration in solution, 865
— study, preliminary, on cytochrome c_3 of *Desulfovibrio desulfuricans* (strain Norway), 741
Cyanide methemoglobin, structure, 687
Cycloheximide, effects on thymidine metabolism and on DNA strand elongation in *Physarum polycephalum*, 169
Cytochrome c_3 of *Desulfovibrio desulfuricans* (strain Norway), a preliminary crystallographic study, 741

Damaschun, G., Müller, J. J., Gedicke, Ch. & Fedorov, B. A., Experimental evidence of long-range order in globular proteins with a quaternary structure, 735
Darnell, J. E. (see also Schwartz, H.), 833
Day, R. O. (see also Rosenberg, J. M.), 145
Deatherage, J. F., Loe, R. S., Anderson, C. M. & Moffat, K., Structure of cyanide methemoglobin, 687

—, — &Moffat, K., Structure of fluoride methemoglobin, 723
Dehydrogenase for human skeletal muscle D-glyceraldehyde-3-phosphate, twinning in crystals, 277
DNA, α, β and γ, of *Saccharomyces cerevisiae*, resolution with the antitumor drug *cis*-$Pt(NH_3)_2Cl_2$. Evidence for preferential drug binding by GpG sequence of DNA, 793
— of bacteriophage PM2, a map of the sites for the restriction endonucleases *Hin*dIII and *Hpa*II, 305
— — — T1, limited permutations of the nucleotide sequence, 505
—, interaction with chromosomal protein, 25
— molecules, ribosomal, free, from *Tetrahymena pyriformis* GL are giant palindromes, 455
— repair and cell division mutants of *Escherichia coli* and the induction of protein X, 567
—, ribosomal, macronuclear, of *Tetrahymena pyriformis* is a palindrome, 421
—, satellite, of *Drosophila nasutoides*: studies of their buoyant densities, melting temperatures, reassociation rates and localizations in polytene chromosomes, 1
— strand elongation and thymidine metabolism in *Physarum polycephalum*, effects of cycloheximide, 169
— strands, high molecular weight, synthesis during S phase, 603
— synthesis relative to sequential function of gene products in the yeast cell cycle, 803
Desulfovibrio desulfuricans (strain Norway) cytochrome c_3, a preliminary crystallographic study, 741
Dewilde, M. (see also Yaguchi, M.), 617
Dihedral angles in the polynucleotide backbone, a simplified alphabetical nomenclature, 142
Drosophila nasutoides satellite DNAs: studies of their buoyant densities, melting temperatures, reassociation rates and localizations in polytene chromosomes, 1

Earnshaw, W., Casjens, S. & Harrison, S. C., Assembly of the head of bacteriophage P22: X-ray diffraction from heads, proheads and related structures, 387
Eberle, H. (see also Brack, C.), 305
Electron density map of Bence Jones protein Rhe, automated analysis, 371
Embryos, sea urchin, and the incorporation of ^{13}C, ^{15}N-labeled nucleosides and measurement of RNA synthesis and turnover, 589
Endonuclease, bacteriophage T7 (gene *3*), essential role in molecular recombination, 883
Engberg, J., Andersson, P., Leick, V. & Collins, J., Free ribosomal DNA molecules from *Tetrahymena pyriformis* GL are giant palindromes, 455
Escherichia coli, chromosome replication in an Hfr strain, 517
— — evidence for variable rates of ribosome movement, 299
— —, the induction of protein X in DNA repair and cell division mutants, 567
— —, neamine-resistant mutant has altered ribosomal protein S17. II. Localization of the amino acid replacement in protein S17 from a *nea*A mutant, 617
— — sequence of the assembly of RNA polymerase *in vitro*, 621
— —, transposition and fusion of the *lac* genes to selected promoters using bacteriophage lambda and mu, 541
Estes, J. E. (see also Rich, S. A.), 777
Evans, H. H., Littman, S. R., Evans, T. E. & Brewer, E. N., Effects of cycloheximide on thymidine metabolism and on DNA strand elongation in *Physarum polycephalum*, 169
Evans, T. E. (see also Evans, H. H.), 169
Evolution and sequence analysis of sea urchin (*Lytechinus pictus* and *Strongylocentrotus purpuratus*) histone H4 mRNAs, 351

Faelen, M. & Toussaint, A., Bacteriophage Mu-1: a tool to transpose and to localize bacterial genes, 525
Fairbanks, G. (see also Lomant, A. J.), 243
Fedorov, B. A. (see also Damaschun, G.), 735
Ferrichrome peptides, ^{13}C n.m.r. spectra: structural and strain contributions to the conformational state, 853
Fibrils of collagen, ^{13}C magnetic resonance evidence for anisotropic molecular motion, 315
Fletterick, R. J. (see also Steitz, T. A.), 197
Fluoride methemoglobin, structure, 723
Folding simulation, protein, a simplified representation of protein conformations, 59
Fraser, R. S. S. & Carter, B. L. A., Synthesis of polyadenylated mRNA during the cell cycle of *Saccharomyces cerevisiae*, 223

Frey, M., Haser, R., Pierrot, M., Bruschi, M. & Le Gall, J., (Preliminary crystallographic study on cytochrome c_3 of *Desulfovibrio desulfuricans* (strain Norway), 741
Fung, L. W.-M. (see also Asakura, T.), 185
Furuichi, Y. (see also Both, G. W.), 637
Fusion and transposition of the *lac* genes to selected promoters in *Escherichia coli* using bacteriophage lambda and mu, 541

Gall, J. G. (see also Karrer, K. M.), 421
Gedicke, Ch. (see also Damaschun, G.), 735
Gene *3*, bacteriophage T7 endonuclease, essential role in molecular recombination, 883
— products, sequential function relative to DNA synthesis in the yeast cell cycle, 803
—, structural, for ribosomal protein S17, 617
Genes, bacterial, transposed and localized by bacteriophage Mu-1, 525
—, *lac*, transposition and fusion to selected promoters in *Escherichia coli* using bacteriophage lambda and mu, 541
— *O* and *P* and P2-λ interference, 411
Gill, G. S. & MacHattie, L. A., Limited permutations of the nucleotide sequence in bacteriophage T1 DNA, 505
Globular proteins with a quaternary structure, experimental evidence for long-range order, 735
Glutamine and tryptophan inserted by suppressor su^+7, 729
Glutathione peroxidase, crystallographic data, 877
D-Glyceraldehyde-3-phosphate dehydrogenase for human skeletal muscle, twinning in crystals, 277
Goldberg, E. (see also Musick, W. D. L.), 659
GpG sequence of DNA and preferential drug binding. Resolution of α, β and γ DNA of *Saccharomyces cerevisiae* with the antitumor drug *cis*-$Pt(NH_3)_2Cl_2$, 793
Grainger, R. M. & Wilt, F. H., Incorporation of ^{13}C, ^{15}N-labeled nucleosides and measurement of RNA synthesis and turnover in sea urchin embryos, 589
Greer, J., Application of the automated interpretation of electron density maps to Bence Jones protein Rhe, 371
Grunstein, M. & Schedl, P., Isolation and sequence analysis of sea urchin (*Lytechinus pictus*) histone H4 mRNA, 323
—,— & Kedes, L. Sequence analysis and evolution of sea urchin (*Lytechinus pictus* and *Strongylocentrotus purpuratus*) histone H4 mRNAs, 351
Gudas, L. J., The induction of protein X in DNA repair and cell division mutants of *Escherichia coli*, 567

Haemoglobin Philly (Tyr C1 (35)$\beta\rightarrow$Phe), structure and function, 185
Halvorson, H. O. (see also Stone, P. J.), 793
Harmsen, A., Leberman, R. & Schulz, G. E., Comparison of protein crystal diffraction patterns and absolute intensities from synchrotron and conventional X-ray sources, 311
Harrison, S. C. (see also Earnshaw, W.), 387
Hartwell, L. H., Sequential function of gene products relative to DNA synthesis in the yeast cell cycle, 803
Haser, R. (see also Frey, M.), 741
Head assembly of bacteriophage P22: X-ray diffraction from heads, proheads and related structures, 387
Heidner, E. J., Ladner, R. C. & Perutz, M. F., Structure of horse carbonmonoxyhaemoglobin, 707
HeLa cell mRNA and association of protein with its polyadenylic acid; evidence for a "transport" role of a 75,000 molecular weight polypeptide, 833
Herzog, A. (see also Yaguchi, M.), 617
Hfr strain of *Escherichia coli*, chromosome replication, 517
*Hind*III and *Hpa*II restriction endonucleases, a map of the sites on bacteriophage PM2 DNA, 305
Histone H4 mRNA of sea urchin (*Lytechinus pictus*), isolation and sequence analysis, 323
— H4 mRNAs of sea urchin (*Lytechinus pictus* and *Strongylocentrotus purpuratus*), sequence analysis and evolution, 351
— modification immediately after synthesis, 471
Ho, C. (see also Asakura, T.), 185
Hoffman, B. M. (see also Moffat, K.), 669

Horse carbonmonoxyhaemoglobin structure, 707
*Hpa*II (see also *Hin*dIII), 305
Human skeletal muscle D-glyceraldehyde-3-phosphate dehydrogenase crystals show twinning, 277

Induction of protein X in DNA repair and cell division mutants of *Escherichia coli*, 567
Intensities, absolute, and protein crystal diffraction patterns, a comparison for synchrotron and conventional X-ray sources, 311
Interference, P2–lambda: effects on the host under the control of λ genes *O* and *P*, 411
Ishihama, A. (see also Saitoh, T.), 621

Jackson, V., Shires, A., Tanphaichitr, N. & Chalkley, R., Modifications to histones immediately after synthesis, 471

Karrer, K. M. & Gall, J. G., The macronuclear ribosomal DNA of *Tetrahymena pyriformis* is a palindrome, 421
Kedes, L. (see also Grunstein, M.), 351
Kelly, J. A. (see also Knox, J. R.), 865
Kelman, A. D. (see also Stone, P. J.), 793
Kendrick-Jones, J., Szentkiralyi, E. M. & Szent-Györgi, A. G., Regulatory light chains in myosins, 747
Kennell, D. & Talkad, V., Messenger RNA potential and the delay before exponential decay of messages, 285
— (see also Talkad, V.), 299
Kilmartin, J. V. (see also Asakura, T.), 185
Kim, J. J. P. (see also Seeman, N. C.), 109
Klein, M. P. (see also Llinás, M.), 853
Knox, J. R., Kelly, J. A., Moews, P. C. & Murphy, N. S., 5·5 Å crystallographic structure of penicillin β-lactamase and radius of gyration in solution, 865
Kowalski, J. & Cheevers, W. P., Synthesis of high molecular weight DNA strands during S phase, 603

λ (see also Bacteriophage), 411, 541
lac genes, transposition and fusion to selected promoters in *Escherichia coli* using bacteriophage lambda and mu, 541
Lactate dehydrogenase, testicular, a low-resolution study using the molecular replacement technique, 659
Ladenstein, R. & Wendel, A., Crystallographic data of the selenoenzyme gluthione peroxidase, 877
Ladner, R. C. (see also Heidner, E. J.), 707
Lapeyre, J.-N. & Bekhor, I., Chromosomal protein interactions in chromatin and with DNA, 25
Le Gall, J. (see also Frey, M.), 741
Leberman, R. (see also Harmsen, A.), 311
Lee, C. S. (see also Cordeiro-Stone, M.), 1
Lee, M., Miller Jr, R. C., Scraba, D. & Paetkau, V., The essential role of bacteriophage T7 endonuclease (gene *3*) in molecular recombination, 883
Leick, V. (see also Engberg, J.), 455
Levitt, M., A simplified representation of protein conformations for rapid simulation of protein folding, 59
Linnane, A. W. (see also Sriprakash, K. S.), 485
Littman, S. R. (see also Evans, H. H.), 169
Llinás, M., Wilson, D. M., Klein, M. P. & Neilands, J. B., ^{13}C nuclear magnetic resonance of the ferrichrome peptides: structural and strain contributions to the conformational state, 853
Loe, R. S. (see also Deatherage, J. F.), 687, 723
Loe, R. S. (see also Moffat, K.), 669
Lomant, A. J. & Fairbanks, G., Chemical probes of extended biological structures: synthesis and properties of the cleavable protein crosslinking reagent [^{35}S] dithiobis (succinimidyl propionate), 243
Lukins H. B. (see also Sriprakash, K. S.), 485.
Lytechinus pictus histone H4 mRNA, isolation and sequence analysis, 323
— — and *Strongylocentrotus purpuratus* histone H4 mRNAs, sequence analysis and evolution, 351

MacHattie, L. A. (see also Gill, G. S.), 505
Magnetic resonance, ^{13}C, evidence for anisotropic molecular motion in collagen fibrils, 315

Map of electron density for Bence-Jones protein Rhe, automated analysis, 371
— — the sites on bacteriophage PM2 DNA for the restriction endonucleases *Hin*dIII and *Hpa*II, 305
Mapping, physical, of mitochondrial genetic markers in yeast, 485
Markers, mitochondrial, physical mapping in yeast, 485
Marston, S. B., Rodger, C. D. & Tregear, R. T., Changes in muscle crossbridges when β, γ-imido-ATP binds to myosin, 263
Mercer, W. D., Winn., S. I. & Watson, H. C., Twinning in crystals of human skeletal muscle D-glyceraldehyde-3-phosphate dehydrogenase, 277
Messenger RNA, HeLa cell, and the association of protein with the polyadenylic acid; evidence for a "transport" role of a 75,000 molecular weight polypeptide, 833
— —, polyadenylated, synthesis during the cell cycle of *Saccharomyces cerevisiae*, 223
— — potential and the delay before exponential decay of messages, 285
— — of sea urchin (*Lytechinus pictus*) histone H4, isolation and sequence analysis, 323
— — — — — (— — and *Strongylocentrotus purpuratus*) histone H4, sequence analysis and evolution, 351
Metmanganoglobin structure, 669
Miller, J. H. (see also Celis, J. E.), 729
Miller, Jr, R. C. (see also Lee, M.), 883
Mitochondrial biogenesis. XLI. Physical mapping of mitochondrial genetic markers in yeast, 485
Moews, P. C. (see also Knox, J. R.), 865
Moffat, K., Loe, R. S. & Hoffman, B. M., The structure of metmanganoglobin, 669
— (see also Deatherage, J. F.), 687, 723
Molecular motion, anisotropic, in collagen fibrils, ^{13}C magnetic resonance evidence, 315
— replacement technique used in low-resolution study of testicular lactate dehydrogenase, 659
Molloy, P. L. (see also Sriprakash, K. S.), 485
Monomeric species, new; detection of conformational changes in actin by proteolytic digestion, 777
Mu (see also Bacteriophage), 541
Mu-1 (see also Bacteriophage), 525
Müller, J. J. (see also Damaschun, G.), 735
Murphy, N. S. (see also Knox, J. R.), 865
Muscle crossbridge changes when β, γ-imido-ATP binds to myosin, 263
—, skeletal, human, D-glyceraldehyde-3-phosphate dehydrogenase crystals show twinning, 277
Musick, W. D. L., Adams, A. D., Rossman, M. G., Wheat, T. E. & Goldberg, E., A low-resolution study of testicular lactate dehydrogenase using the molecular replacement technique, 659
Mutants, DNA repair and cell division, of *Escherichia coli*, and the induction of protein X, 567
Mutation linked to neamine resistance in *Escherichia coli* alters ribosomal protein S17. II. Localization of the amino acid replacement in protein S17 from a *nea*A mutant, 617
Muthukrishnan, S. (see also Both, G. W.), 637
Myosin, binding of β, γ-imido ATP and changes in muscle crossbridges, 263
Myosins, regulatory light chains, 747

Nagley, P. (see also Sriprakash, K. S.), 485
Neamine-resistant mutant of *Escherichia coli* has altered ribosomal protein S17. II. Localization of the amino acid replacement in protein S17 from a *nea*A mutant, 617
Neilands, J. B. (see also Llinás, M.), 853
Nuclear magnetic resonance, ^{13}C, of the ferrichrome peptides: structural and strain contributions to the conformational state, 853
Nucleoside, ^{13}C, ^{15}N-labeled, incorporation and measurement of RNA synthesis and turnover in sea urchin embryos, 589
Nucleotide sequence in bacteriophage T1 DNA has limited permutations, 505

Order, long-range, in globular proteins with a quaternary structure, experimental evidence, 735
Ornithine carbamoyltransferase, affinity of arginase for, in *Saccharomyces cerevisiae*, 819

P2 (see also Bacteriophage), 411
P22 (see also Bacteriophage,) 387
PM2 (see also Bacteriophage), 305
Paetkau, V. (see also Lee, M.), 883
Palindromic (giant) free ribosomal DNA molecules from *Tetrahymena pyriformias* GL, 455
— macronuclear ribosomal DNA of *Tetrahymena pyriformis*, 421
Penicillin β-lactamase, 5·5 Å crystallographic structure and radius of gyration in solution, 865

Penninckx, M. & Wiame, J-M., Affinity of arginase for ornithine carbamoyltransferase in *Saccharomyces cerevisiae*, 819
Peptides, ferrichrome, ^{13}C n.m.r. spectra: structural and strain contributions to the conformational state, 853
Permutations, limited, of the nucleotide sequence in bacteriophage T1 DNA, 505
Perutz, M. F. (see also Asakura, T.), 185
— (see also Ladner, R. C.), 707
Physarum polycephalum, effects of cycloheximide on thymidine metabolism and on DNA strand elongation, 169
Pierrot, M. (see also Frey, M.), 741
Platinum binding to yeast DNA, 793
Polyadenylated mRNA, synthesis during the cell cycle of *Saccharomyces cerevisiae*, 223
Polyadenylic acid of HeLa cell mRNA, the association with protein: evidence for a "transport role" of a 75,000 molecular weight polypeptide, 833
Polynucleotide backbone and a simplified alphabetical nomenclature for dihedral angles, 142
Polyribonucleotide binding to ribosomes, effect of 5′-terminal structure and base composition, 637
Polymerase for RNA of *Escherichia coli*, sequence of assembly *in vitro*, 621
Polytene chromosome localization of satellite DNAs of *Drosophila nasutoides*, 1
Potential of mRNA and the delay before exponential decay of messages, 285
Probes, chemical, of extended biological structures: synthesis and properties of the cleavable protein cross-linking reagent [^{35}S] dithiobis (succinimidyl propionate), 243
Proheads, heads and related structures of bacteriophage P22, X-ray diffraction, 387
Protein association with the polyadenylic acid of HeLa cell mRNA: evidence for a "transport" role of a 75,000 molecular weight polypeptide, 833
—, chromosomal, interactions in chromatin and with DNA, 25
— conformations, a simplified representation for rapid simulation of protein folding, 59
— cross-linking reagent, cleavable, [^{35}S] dithiobis (succinimidyl propionate), synthesis and properties, 243
— crystal diffraction patterns and absolute intensities, comparison for synchrotron and conventional X-ray sources, 311
—, globular, with a quaternary structure, experimental evidence for long-range order, 735
— Rhe, Bence Jones, automated analysis of electron density, map, 371
— S17, ribosomal, alteration by mutation linked to neamine resistance in *Escherichia coli*. II. Localization of the amino acid replacement in protein S17 from a *nea*A mutant, 617
— X, induction in DNA repair and cell division mutants of *Escherichia coli*, 567
Proteolytic digestion indicates conformational changes in actin: evidence for a new monomeric species, 777

Quaternary structure of globular proteins and experimental evidence for long-range order, 735

Radius of gyration in solution and 5·5 Å crystallographic structure of penicillin β-lactamase, 865
Recombination, molecular, the essential role of bacteriophage T7 endonuclease (gene *3*), 883
Regulation of the regulatory gene for the arabinose pathway, *araC*, 557
Regulatory light chains in myosins, 747
Replication, chromosome, in an Hfr strain of *Escherichia coli*, 517
Restriction endonucleases *Hin*dIII and *Hpa*II, a map of the sites on bacteriophage PM2 DNA, 305
Rhe, Bence Jones, electron density map, automated analysis, 371
RNA double-helical fragments at atomic resolution. I. The crystal and molecular structure of sodium adenylyl-3′,5′-uridine hexahydrate, 109
— — — — — — —. II. The crystal structure of sodium guanylyl-3′,5′-cytidine nonahydrate, 145
—, messenger, HeLa cell, and the association of protein with the polyadenylic acid; evidence for a "transport" role of a 75,000 molecular weight polypeptide, 833
—, —, polyadenylated, synthesis during the cell cycle of *Saccharomyces cerevisiae*, 223
— —, potential and the delay before exponential decay of messages, 285
—, —, of sea urchin (*Lytechinus pictus*) histone H4, isolation and sequence analysis, 323
—, —, — — — (— — and *Strongylocentrotus purpuratus*) histone H4, sequence analysis and evolution, 351
— polymerase of *Escherichia coli*, sequence of assembly *in vitro*, 621
— synthesis and turnover measurement in sea urchin embryos and incorporation of ^{13}C, ^{15}N-labeled nucleosides, 589

Ribosomal DNA, macronuclear, of *Tetrahymena pyriformis* is a palindrome, 421
— — molecules, free, from *Tetrahymena pyriformis* GL are giant palindromes, 455
— protein S17, alteration by mutation linked to neamine resistance in *Escherichia coli*. II. Localization of the amino acid replacement in protein S17 from a *nea*A mutant, 617
Ribosome movement in *Escherichia coli*, evidence for variable rates, 299
Ribosomes, polyribonucleotide binding to, effect of 5′-terminal structure and base composition 637
Rich, A. (see also Rosenberg, J. M.), 145
—. (see also Seeman, N. C.), 109
Rich, S. A. & Estes, J. E., Detection of conformational changes in actin by proteolytic digestion: evidence for a new monomeric species, 777
Rodger, C. D. (see also Marston, S. B.), 263
Rosenberg, J. M., Seeman, N. C., Day, R. O. & Rich, A., RNA double-helical fragments at atomic resolution: II. The crystal structure of sodium guanylyl-3′,5′-cytidine nonahydrate, 145
— (see also Seeman, N. C.), 109
Rossmann, M. G. (see also Musick, W. D. L.), 659
Roth, Y. (see also Chandler, M.), 517

S phase synthesis of high molecular weight DNA strands, 603
Saccharomyces cerevisiae, affinity of arginase for ornithine carbamoyltransferase, 819
— — α, β and γ DNA, resolution with the antitumor drug *cis*-$Pt(NH_3)_2Cl_2$. Evidence for preferential drug binding by GpG sequences of DNA, 793
— —, synthesis of polyadenylated mRNA during the cell cycle, 223
Saitoh, T. & Ishihama, A., Subunits of RNA polymerase in function and structure. VI. Sequence of the assembly *in vitro* of *Escherichia coli* RNA polymerase, 621
Satellite DNAs of *Drosophila nasutoides*: studies of their buoyant densities, melting temperatures, reassociation rates and localizations in polytene chromosomes, 1
Schedl, P. (see also Grunstein, M.), 323, 351
Schneider, E. (see also Talkad, V.), 299
Schulz, G. E. (see also Harmsen, A.), 311
Schwartz, H. & Darnell, J. E., The association of protein with the polyadenylic acid of HeLa cell mRNA: evidence for a "transport" role of a 75,000 molecular weight polypeptide, 833
Scraba, D. (see also Lee, M.), 883
Sea urchin embryos and the incorporation of ^{13}C, ^{15}N-labeled nucleosides and measurement of RNA synthesis and turnover, 589
— — (*Lytechinus pictus*) histone H4 mRNA, isolation and sequence analysis, 323
— — (— — and *Strongylocentrotus purpuratus*) histone H4 mRNAs, sequence analysis and evolution, 351
Seeman, N. C., Rosenberg, J. M., Suddath, F. L., Kim, J. J. P. & Rich, A., RNA double-helical fragments at atomic resolution. I. The crystal and molecular structure of sodium adenylyl-3′,5′-uridine hexahydrate, 109
— (see also Rosenberg, J. M.), 145
Selenoenzyme glutathione peroxidase, crystallographic data, 877
Sequence analysis and evolution of sea urchin (*Lytechinus pictus* and *Strongylocentrotus purpuratus*) histone H4 mRNAs, 351
— — — isolation of sea urchin (*Lytechinus pictus*) histone H4 mRNA, 323
— of the assembly *in vitro* of *Escherichia coli* RNA polymerase, 621
—, nucleotide, in bacteriophage T1 DNA has limited permutations, 505
Sequential function of gene products relative to DNA synthesis in the yeast cell cycle, 803
Shatkin, A. J. (see also Both, G. W.), 637
Shires, A. (see also Jackson, V.), 471
Silver, L. (see also Chandler, M.), 517
Sinex, F. M. (see also Stone, P. J.), 793
Sodium adenylyl-3′,5′-uridine hexahydrate, crystal and molecular structure; RNA double-helical fragments at atomic resolution, 109
Sriprakash, K. S., Molloy, P. L., Nagley, P., Lukins, H. B. & Linnane, A. W., Biogenesis of mitochondria. XLI. Physical mapping of mitochondrial genetic markers in yeast, 485
Steitz, T. A., Fletterick, R. J., Anderson, W. F. & Anderson, C. M., High resolution X-ray structure of yeast hexokinase, an allosteric protein exhibiting a non-symmetric arrangement of subunits, 197

Stone, P. J., Kelman, A. D., Sinex, F. M., Bhargava, M. M. & Halvorson, H. O., Resolution of α, β and γ DNA of *Saccharomyces cerevisiae* with the antitumor drug *cis*-$Pt(NH_3)_2Cl_2$. Evidence for preferential drug binding to GpG sequences of DNA, 793
Strain and structural contributions to the conformational state: ^{13}C n.m.r. of the ferrichrome peptides, 853
Strongylocentrotus purpuratus and *Lytechinus pictus* histone H4 mRNAs, sequence analysis and evolution, 351
Structural and strain contributions to the conformational state: ^{13}C n.m.r. spectra of the ferrichrome peptides, 853
Structure, crystal and molecular, of sodium adenylyl-3′,5′-uridine hexahydrate; RNA double-helical fragments at atomic resolution, 109
—, crystallographic, at 5·5 Å resolution, of penicillin β-lactamase and radius of gyration in solution 865
— and function of haemoglobin Philly (Tyr C1 (35)β→Phe), 185
— of cyanide methemoglobin, 687
— — fluoride methemoglobin, 723
— — horse carbonmonoxyhaemoglobin, 707
— — metmanganoglobin, 669
— — sodium guanylyl-3′,5′-cytidine nonahydrate; RNA double-helical fragments at atomic resolution, 145
—, X-ray, high resolution, of yeast hexokinase, an allosteric protein exhibiting a non-symmetric arrangement of subunits, 197
Subunits of RNA polymerase in function and structure. VI. Sequence of the assembly *in vitro* of *Escherichia coli* RNA polymerase, 621
Suddath, F. L. (see also Seeman, N. C.), 109
Suppressor su^+7 inserts tryptophan in addition to glutamine, 729
Synchrotron and conventional X-ray sources, a comparison of protein crystal diffraction patterns and absolute intensities, 311
Synthesis and properties of the cleavable protein cross-linking reagent [^{35}S] dithiobis (succinimidyl propionate), 243
— of DNA relative to the sequential function of gene products in the yeast cell cycle, 803
— — high molecular weight DNA strands during S phase, 603
— — polyadenylated mRNA during the cell cycle of *Saccharomyces cerevisiae*, 223
Szent-Györgi, A. G. (see also Kendrick-Jones, J.), 747
Szentkiralyi, E. M. (see also Kendrick-Jones, J.), 747

T1 (see also Bacteriophage), 505
T7 (see also Bacteriophage), 883
Talkad, V., Schneider, E. & Kennell, D., Evidence for variable rates of ribosome movement in *Escherichia coli*, 299
— (see also Kennell, D.), 285
Tanphaichitr, N. (see also Jackson, V.), 471
5′-Terminal structure and base composition, their effect on polyribonucleotide binding to ribosomes, 637
Testicular lactate dehydrogenase, a low-resolution study using the molecular replacement technique, 659
Tetrahymena pyriformis GL free ribosomal DNA molecules are giant palindromes, 455
— — macronuclear ribosomal DNA is a palindrome, 421
Thymidine metabolism and DNA strand elongation in *Physarum polycephalum*, effects of cycloheximide, 169
Torchia, D. A. & Vanderhart, D. L., ^{13}C magnetic resonance evidence for anisotropic molecular motion in collagen fibrils, 315
Toussaint, A. (see also Faelen, M.), 525
Transposition and fusion of the *lac* genes to selected promoters in *Escherichia coli* using bacteriophage lambda and mu, 541
Transposition and localization of bacterial genes by bacteriophage Mu-1, 525
Tregear, R. T. (see also Marston, S. B.), 263
Tryptophan inserted by suppressor su^+7 in addition to glutamine, 729
Twinning in crystals of human skeletal muscle D-glyceraldehyde-3-phosphate dehydrogenase, 277

Vanderhart, D. L. (see also Torchia, D. A.), 315
Villarroel, R. (see also Yaguchi, M.), 617

Watson, H. C. (see also Mercer, W. D.), 277
Wendel, A. (see also Ladenstein, R.), 877
Wheat, T. E. (see also Musick, W. D. L.), 659
Wiame, J-M. (see also Penninckx, M.), 819
Wiley, J. S. (see also Asakura, T.), 185
Wilson, D. M. (see also Llinás, M.), 853
Wilt, F. H. (see also Grainger, R. M.), 589
Winn, S. I. (see also Mercer, W. D.), 277
Wittmann, H. G. (see also Yaguchi, M.), 617

X-ray diffraction from heads, proheads and related structures of bacteriophage P22, 387
— — patterns for protein crystals and absolute intensities, a comparison for synchrotron and conventional sources, 311
— structure, high resolution, of yeast hexokinase, an allosteric protein exhibiting a non-symmetric arrangement of subunits, 197

Yaguchi, M., Wittmann, H. G., Cabezón, T., Dewilde, M., Villarroel, R., Herzog, A. & Bollen, A., Alteration of ribosomal protein S17 by mutation linked to neamine resistance in *Escherichia coli*. II. Localization of the amino replacement in protein S17 from a *nea*A mutant, 617
Yeast cell cycle and the sequential function of gene products relative to DNA synthesis, 803
— hexokinase, an allosteric protein exhibiting a non-symmetric arrangement of subunits, high resolution X-ray structure, 197
— mitochondrial genetic markers, physical mapping, 485
Yuan, R. (see also Brack, C.,) 305